

13 76 200 ME

Metric version



- **Clever stripping:** large capacity range, sharply ground stripping profiles and intuitive positioning
 - **Innovative cutting geometry:** easier cutting, especially of flat cables
 - **Hybrid design:** as flat as needle-nose pliers, as wide as combination pliers for high stability with good accessibility
-
- Precisely ground stripping profiles for solid conductors from 0.75 - 6 mm² and fine-stranded conductors from 0.5 - 4 mm²
 - Precise positioning of the wire thanks to location ridges
 - Easy cutting of copper and aluminium cables up to Ø 15 mm (1/2")
 - Wide, cross-hatched gripping surfaces for twisting wires
 - Milled groove for secure holding and pulling of small work pieces such as nails
 - Convex gripping surface on one side for secure gripping of flat material and gripping area for round material
 - Outer edges for deburring pipes



General	
Part No.	13 76 200 ME
EAN	4003773088943
pliers	chrome-plated
Head	chrome-plated
Handles	insulated with multi-component grips, VDE-tested
Weight	290 g
Dimensions	200 x 60 x 28 mm
Standard	DIN EN 60900 IEC 60900
REACH compliant	does not contain SVHC
RoHS compliant	not applicable

KNIPEX Werk - C. Gustav Putsch KG - 42337 Wuppertal



